

Luna : Ianuarie - Anul : 2000

+-----+
 | FISA DE CALCUL A FOII DE PARCURS |
 +-----+

Pagina: 1

```

+-----+-----+
| Numar foaie parcurs : 0200214 | Data efectuării cursei: 19/01/2000 |
+-----+-----+
| Numar inmatriculare : VS-06-AUT | Marca si tip : ROMAN-109 RD |
+-----+-----+
| Combustibil : MOTORINA | Putere motor : 220 [CP] |
| Aprindere motor: M.A.C. | Cap. cil. : 5488 [cm3] |
+-----+-----+
| Cutie viteza : Mecanica | S.U.N. : 3.20 [t] |
| Destinatia : Auto cu SUN=<1.5 t sau transp. cal.,derivate,speciale |
| - Formeaza rez. aer (autobloc/suspensie aer) |
| - Nu este autoremorcher |
| - Nu se aplica rezistenta aerului |
| - Nu actioneaza instalatii speciale |
+-----+-----+
|< Sporuri urban si tractare ( alte date ) >-----+
|Cm = 24.80+-Urban ( u ) -----+-----Tractare ( t ) -----+
| i = 0.00|Bucuresti : u1= 30.00|Nr. inmatr. Semiremorca : |
|qi = 0.00|Municipii : u2= 20.00|Nr. remorci tractate : 0 |
|ra = 0.00|Alte orase: u3= 5.00|t= 0.00 i(rem)= 0.00-Nu actioneaza |
+-----+-----+-----+-----+-----+-----+
|-----+-----+-----+-----+-----+-----+
|-----+-----+-----+-----+-----+-----+
|Coef. Cf1=0.90 Cf3=1.10 Cf5=1.40|Nr. inc. motor = 1|Auto: 0|
| Sb= 1.00 | drum Cf2=1.00 Cf4=1.20 Cf6=1.60|Nr. prest. spec.-----+Rem : 0|
| A = 1.10-(cond. clim. Nefavorabile )+Nr. curse comb.= 0+-----+
+-----+-----+
|Parc ef[Km. ef]+-Urban-----[Km. ef]+-Alimentari cb.[l]+-Alim. ulei [l]--+
| D1= 45.00 |Bucuresti : 32.20| Lichid : 0.00|Motor : 1.50 |
| D2= 88.30 |Municipii : 27.00| BCF : 44.44|Inst. aux: 0.00 |
| D3= 25.50 |Alte orase: 0.00| Numerar: 11.11|Transm. : 0.30 |
| D4= 0.00 +-----+-----+ Tranzit: 0.00+-----+
| D5= 0.00 |In afara : 99.60| |Gaz [m3]: 0.00 |
| D6= 0.00 |Tractare : 0.00| -----+-----+
| -----+-----+ Parc. drum[Km. echiv]| Total : 55.55|
|Tot= 158.80 |Ped= 156.85|
+-----+-----+
|Pret combustibil la data:19/01/2000 | Nr. bonuri BCF: 2 (primate de sofer) |
|Depozit: 4500.00 [ lei /1 litru ] | Total lei BCF : 200000.00 |
|BCF : 4500.00 | Numerar lei : 50000.00 |
|Numerar: 4500.00 +-----+-----+
|Cantitate comb. alimentat cu BCF : ( 200000.00/ 4500.00 )= 44.44 [l] |
|Cantitate comb. alimentat cu Numerar:( 50000.00/ 4500.00 )= 11.11 [l] |
+-----+-----+
|Coef. formule. spor consum combustibil Q: q1=0.250 q2=0.100 q4=0.050 q5=0.025 |
+-----+-----+-----+-----+
| Q1= 1.61 + | U= 15.06 I = 0.00| Pe = Ped + U + T + I + Ra |
| Q2= 0.00 | T= 0.00 Ra= 0.00|==> Pe = 171.91 [Km. echiv.] |
| Q3= 0.00 +-----+-----+
| Q4= 1.24 | Consum Cn= { Cm*A*Sb*(Pe/100) } + Q = 50.37 [l] |
| Q5= 0.62 | normat +-----+-----+
| -----+-----+ comb. | Cn= 50.37 [l] | | Pe= 171.91 [Km. echiv.] |
| Q = 3.47 [l] | +-----+-----+
+-----+-----+
>>>Data ultimei actualizari :11/02/2002<<<

```

VERIFICAT ,

